


Lightweight in steel construction: end-to-end digitalised production and testing chain

About this project



SmartWeld

Lightweight in steel construction: end-to-end digitalised production and testing chain

Markets: ⚡

Material: Steel

Lightweight in steel construction: end-to-end digitalised production and testing chain

About this project

This project is funded by the Technology Transfer Programme Leichtbau (TTP LB) of the Federal Ministry of Economics and Climate Action.

[Technology Transfer Program Leichtbau](#)

Context

Offshore wind turbines stand on a huge support structure up to 60 metres high, the greater part of which remains hidden below the waterline. Today, a single steel pile, known as a monopile, is often used. Up to 2,000 tonnes of steel are welded together for this purpose - the production of which releases large quantities of CO₂.

The tonnage during transport and the amount of CO₂ released during steel production is significantly lower if more delicate support structures are used instead of the monopile. However, these lightweight structures, known as jacket foundations, pose a challenge in terms of production technology, meaning that potential CO₂ savings have not yet been realised on an industrial scale.

This is mainly due to the very complex weld seams: Today, the jacket foundations are usually welded together manually and later transported to their place of use using special ships. Tolerances in manual production and high safety requirements necessitate a conservative design, i.e. thick-walled components are used.

Purpose

The aim of SmartWeld is to make the use of lightweight construction techniques possible with an end-to-end digitalised production and testing chain in the construction of foundations. To achieve this, the welding process for the complex seams on the supporting structures is to be adapted so that it can be better automated. If this is successful, the seams will also be more durable. The structures could also be manufactured with thinner walls. They would therefore use less steel and thus save CO₂.

With an average 12-megawatt system, around 20 percent of the weight and therefore 400 tonnes of steel could be saved compared to a monopile. This corresponds to around 800 tonnes of CO₂. By optimising the design of the weld seams and making savings in the energy-intensive welding process itself, the proportion of CO₂ in production could be reduced even further. For a wind farm with 100 turbines by a total of more than 100,000 tonnes.

Lightweight in steel construction: end-to-end digitalised production and testing chain

About this project

Procedure

In order to utilise the new production technologies in industry as quickly as possible, the researchers are working as practically as possible. The industrial partners in the research project are developing demonstration systems suitable for series production under real manufacturing conditions. In this way, the research results can be transferred like a "blueprint" to other areas of steel construction in which large-format structures such as bridge constructions are manufactured.

Several demonstrator nodes are already being produced as part of the project, which will then be subjected to various fatigue tests - accompanied by simulations of crack development and crack progression. Tests that have already been carried out to automate the welding processes have significantly increased the production speed.

Lightweight in steel construction: end-to-end digitalised production and testing chain

About this project



Funding duration:

Funding sign: 03LB2022

Funding amount: EUR 3.2 million

Lightweight in steel construction: end-to-end digitalised production and testing chain

Project coordination

Contact:

Mr Dr. Andreas Pittner

+49 30 8104-3696

Andreas.Pittner@bam.de

Organisation:

Federal Institute for Materials Research and Testing
(BAM)

Unter den Eichen 87
12205 Berlin
Berlin
Germany

www.bam.de



English (EN){ { Projektpartner } }



Fraunhofer IEWS, JÖRSS-BLUNCK-ORDEMANN GmbH, Salzgitter Mannesmann
Forschung GmbH

Lightweighting classification

Realisation

Offer

Products

Parts and components

Services & consulting



Lightweight in steel construction: end-to-end digitalised production and testing chain

Lightweighting classification	
	Realisation
Field of technology	
Design & layout Others	✓
<i>Functional integration</i>	
Measuring and testing technology Component and part analysis	✓
Modelling and simulation Loads & stress	✓
Plant construction & automation Automation technology, Robotics	✓
<i>Recycling technologies</i>	
Manufacturing process	
<i>Additive manufacturing</i>	
<i>Coating (surface engineering)</i>	
<i>Fibre composite technology</i>	
<i>Forming</i>	
Joining Welding	✓
<i>Material property alteration</i>	
<i>Primary forming</i>	
<i>Processing and separating</i>	
<i>Textile technology</i>	

Lightweight in steel construction: end-to-end digitalised production and testing chain

Lightweighting classification	
	Realisation
Material	
<i>Biogenic materials</i>	
<i>Cellular materials (foam materials)</i>	
<i>Composites</i>	
<i>Fibres</i>	
<i>Functional materials</i>	
Metals	✓
Steel	
<i>Plastics</i>	
<i>Structural ceramics</i>	
<i>(Technical) textiles</i>	